



SBM 直線タイプ メッキ処理あり



T4



| 寸法 | | | 断面積 | 許容電流 |
|--------|-------|--------|-----|------|
| T (板厚) | W (幅) | L (長さ) | | |
| 4 | 10 | 125 | 40 | 100 |
| | | 250 | | |
| | | 375 | | |
| | | 500 | | |
| | | 625 | | |
| | | 750 | | |
| | | 875 | | |
| | | 1,000 | | |
| | | 1,125 | | |
| | | 1,250 | | |
| | | 1,375 | | |
| | | 1,500 | | |
| 4 | 12 | 125 | 48 | 75 |
| | | 250 | | |
| | | 375 | | |
| | | 500 | | |
| | | 625 | | |
| | | 750 | | |
| | | 875 | | |
| | | 1,000 | | |
| | | 1,125 | | |
| | | 1,250 | | |
| | | 1,375 | | |
| | | 1,500 | | |
| 4 | 15 | 125 | 60 | 100 |
| | | 250 | | |
| | | 375 | | |
| | | 500 | | |
| | | 625 | | |
| | | 750 | | |
| | | 875 | | |
| | | 1,000 | | |
| | | 1,125 | | |
| | | 1,250 | | |
| | | 1,375 | | |
| | | 1,500 | | |
| 4 | 20 | 125 | 80 | 150 |
| | | 250 | | |
| | | 375 | | |
| | | 500 | | |
| | | 625 | | |
| | | 750 | | |
| | | 875 | | |
| | | 1,000 | | |
| | | 1,125 | | |
| | | 1,250 | | |
| | | 1,375 | | |
| | | 1,500 | | |

SBM 直線タイプ メッキ処理あり



T4



| 寸法 | | | 断面積 | 許容電流 |
|--------|-------|--------|-----|------|
| T (板厚) | W (幅) | L (長さ) | | |
| 4 | 25 | 125 | 100 | 175 |
| | | 250 | | |
| | | 375 | | |
| | | 500 | | |
| | | 625 | | |
| | | 750 | | |
| | | 875 | | |
| | | 1,000 | | |
| | | 1,125 | | |
| | | 1,250 | | |
| | | 1,375 | | |
| | | 1,500 | | |
| 4 | 30 | 125 | 120 | 200 |
| | | 250 | | |
| | | 375 | | |
| | | 500 | | |
| | | 625 | | |
| | | 750 | | |
| | | 875 | | |
| | | 1,000 | | |
| | | 1,125 | | |
| | | 1,250 | | |
| | | 1,375 | | |
| | | 1,500 | | |
| 4 | 40 | 125 | 160 | 250 |
| | | 250 | | |
| | | 375 | | |
| | | 500 | | |
| | | 625 | | |
| | | 750 | | |
| | | 875 | | |
| | | 1,000 | | |
| | | 1,125 | | |
| | | 1,250 | | |
| | | 1,375 | | |
| | | 1,500 | | |
| 4 | 50 | 125 | 200 | 350 |
| | | 250 | | |
| | | 375 | | |
| | | 500 | | |
| | | 625 | | |
| | | 750 | | |
| | | 875 | | |
| | | 1,000 | | |
| | | 1,125 | | |
| | | 1,250 | | |
| | | 1,375 | | |
| | | 1,500 | | |

SBM 直線タイプ メッキ処理あり

T4



| 寸法 | | | 断面積 | 許容電流 |
|--------|-------|--------|-----|------|
| T (板厚) | W (幅) | L (長さ) | | |
| 4 | 60 | 125 | 240 | 350 |
| | | 250 | | |
| | | 375 | | |
| | | 500 | | |
| | | 625 | | |
| | | 750 | | |
| | | 875 | | |
| | | 1,000 | | |
| | | 1,125 | | |
| | | 1,250 | | |
| | | 1,375 | | |
| | | 1,500 | | |