



寸法			タップ数	断面積	許容電流
T (板厚)	W (幅)	L (長さ)			
4	10	125	5	40	100
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		
4	12	125	5	48	75
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		
4	15	125	5	60	100
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		

# SB 直線タイプ メッキ処理なし

T4





寸法			タップ数	断面積	許容電流
T (板厚)	W (幅)	L (長さ)			
4	20	125	5	80	150
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		
4	25	125	5	100	175
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		
4	30	125	5	120	200
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		



寸法			タップ数	断面積	許容電流
T (板厚)	W (幅)	L (長さ)			
4	40	125	5	160	250
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		

# SB 直線タイプ メッキ処理なし

# T4



寸法			タップ数	断面積	許容電流
T (板厚)	W (幅)	L (長さ)			
4	50	125	10	200	350
		250	20		
		375	30		
		500	40		
		625	50		
		750	60		
		875	70		
		1,000	80		
		1,125	90		
		1,250	100		
		1,375	110		
		1,500	120		
4	60	125	10	240	350
		250	20		
		375	30		
		500	40		
		625	50		
		750	60		
		875	70		
		1,000	80		
		1,125	90		
		1,250	100		
		1,375	110		
		1,500	120		