


# SS2 S字/曲げ付タイプ メッキ処理なし

成光工業  
フスバー・S字/曲げ付

※1 穴無しの場合



SS - T  - W  - L  - φ

板 幅 長 穴径



寸法			寸法				断面積	許容電流
t	W	L	A	B	C	H		
2	10	125	5	14	62.5	67.5	20	50
		250			125	130		
		375			187.5	192.5		
		500			250	255		
		625			312.5	317.5		
		750			375	380		
		875			437.5	442.5		
		1000			500	505		
	12	125	6	15	62.5	68.5	24	50
		250			125	131		
		375			187.5	193.5		
		500			250	256		
		625			312.5	318.5		
		750			375	381		
		875			437.5	443.5		
		1000			500	506		
	15	125	7.5	17	62.5	70	30	75
		250			125	132.5		
		375			187.5	195		
		500			250	257.5		
		625			312.5	320		
		750			375	382.5		
		875			437.5	445		
		1000			500	507.5		

# SS2 S字/曲げ付タイプ メッキ処理なし



寸法		寸法					断面積	許容電流	
t	W	L	A	B	C	H			
3	10	125	5	62.5	67.5	14	30	75	
		250							130
		375							192.5
		500							255
		625							317.5
		750							380
		875							442.5
		1000							505
	12	125	6	62.5	68.5	15	36	75	
		250							131
		375							193.5
		500							256
		625							318.5
		750							381
		875							443.5
		1000							506
	15	125	7.5	62.5	70	17	45	75	
		250							132.5
		375							195
		500							257.5
		625							320
		750							382.5
		875							445
		1000							507.5


# SS2 S字/曲げ付タイプ メッキ処理なし

成光工業  
フスバー・S字/曲げ付

※1 穴無しの場合

SS - T  - W  - L  - φ

板 幅 長 穴径



寸法			寸法				断面積	許容電流		
t	W	L	A	B	C	H				
4	10	125	5	62.5	67.5	14	40	100		
		250							125	130
		375							187.5	192.5
		500							250	255
		625							312.5	317.5
		750							375	380
		875							437.5	442.5
		1000							500	505
	12	125	6	62.5	68.5	15	48	75		
		250							125	131
		375							187.5	193.5
		500							250	256
		625							312.5	318.5
		750							375	381
		875							437.5	443.5
		1000							500	506
	15	125	7.5	62.5	70	17	60	100		
		250							125	132.5
		375							187.5	195
		500							250	257.5
		625							312.5	320
		750							375	382.5
		875							437.5	445
		1000							500	507.5